

# **For Education**

Touchscreen Manufacturer of the Year











Create. Collaborate. Inspire.

clevertouch.com | info@clevertouch.com

#clevertouch



# **Plus Series**

#### 55" / 65" / 70" / 75" / 86"


Designed for education, Plus Series is easy to use, highly functional, and full of features. Combining superior connectivity, innovative software, and a simple user interface, Plus Series allows complete collaboration in the classroom. Interactive Screen of the Year 2017





#### LUX User Interface (Plus Series & V Series)

The LUX user interface has been designed to be simple to use and intuitive. With functionality similar to a tablet or smartphone, every task requires just a quick touch or swipe to action. Clevertouch have created a system that is so simple, anyone can walk into the room and use the screen with no training or prior knowledge.







**V Series** 65" / 75"

The **V Series** provides a simplified interactive experience. Ideal for users who want a great whiteboarding experience, the **V Series** is the perfect solution for the more budget conscious. **Interactive Screen of the Year 2016.** 





#### All Plus Series and V Series models feature:



HDMI, VGA, RS232 and USB Connectivity



20-Point Touch



**Integrated Speakers** 



Powered by Android



Up to 12GB Integrated Storage



LUX User Interface



No Shadow



Comprehensive Warranty



4K Ultra HD



Anti Glare Glass



Wi-F



Low Power Consumption



# **Apps**

### **Award-Winning Apps and Software**



### **CLEVERSTORE**

**Cleverstore** is the dedicated free education App store.

The **Cleverstore** offers over a 100 educational Apps that engage and excite children in ways that are so natural to them there is no barrier between the technology and their learning.

Plus Series only.





Create graphs, record scientific

experiments with the diagram

and use maths and science

atomic structure, compass,

and protractor. Connected PC

builder, input 2D and 3D shapes,

tools such as the periodic table,

#### **CLEVERSHARE**



Plus Series only.



DisplayNote transforms presentations for presenters and participants. Use it to present wirelessly with your device, and mirror your screen to participant's device. Attendees can view and capture slides on their device and collaborate with each other in real-time.



Create interactive lessons with Lynx, or open and edit old Notebook files. Features include a broad selection of brushes, fonts and shapes, and maths and science tools. Embed videos directly into the lesson slides and annotate over them. Lynx can be used in LUX or PC mode.

18/01/2018 10:06

#### **NOTE**

required.

The instant whiteboarding App makes it easy to make notes, annotations, diagrams and drawings. Notes can be saved and sent out to the group. With an infinity whiteboard and unlimited number of work sheets, you'll never run out of space.



Clever Message

Clever Message is a unique App driven by SedaoLive CLOUD and connects your Clevertouch screens across the school campus, enabling them to be used as a digital signage messaging solution when not in use during classroom lessons.

Plus Series only.

#### **Snowflake**\*

With Snowflake MultiTeach you can create exciting interactive activities, or use content others have created in the Lessons Community.

MultiTeach can be used in LUX or PC mode, and Snowflake Apps also feature in the Cleverstore.

# **Accessories**

### **Clevershare 2.0**



Wirelessly transmit Video, Audio and Touch

With the **Clevershare** wireless device you can control the Clevertouch from anywhere in the room, without the need for any wires. Simply plug the **Clevershare** into your laptop's USB port and you can show and edit your laptop's content on the Clevertouch screen. You can instantly display your desktop and control from your computer or Clevertouch – your pen or finger becomes your mouse.

Clevershare 2.0 enables you to share up to four devices with your touchscreen.

Code: 1541021 (one receiver, one transmitter)





#### **PC Module**

**i5 Model** Code: 1541041

i7 Model code: 1541042

- Operating System: Windows 10 Pro
- i5 model: 4GB RAM, 128GB SSD
- i7 model: 8GB RAM, 256GB SSD
- 1 x Wireless Network Interface 802.11ac (2.4GHz/5GHz)
- 1 x Wired Network Interface (10/100/1000Mbps)
- 6 x USB 3.0
- 1 x Display Port
- 1 x HDMI 4K Video Output
- 1 x VGA Output







# **Collaboration & Control**

### **Clevershare App 2.0**





Connect and control from other devices with **Clevershare** 

With **Clevershare** you can intuitively share content from your PC, Mac, iPhone/iPad or Android device. Simply download the **Clevershare** App to your computer, phone or tablet and type in the code shown on the Clevertouch. In seconds your device and your Clevertouch are connected, and can cast video, audio and touch in both directions.

Clevershare 2.0 enables you to share up to four devices with your touchscreen.\*

- Up to 32 connections
- Windows, Mac, iOS and Android
- Use your mobile device as a document camera
- Live stream video
- Bidirectional touch
- Remote mouse, touch pad and button mode





# **OTA Updates**



Updates delivered instantly


With **Over-the-Air** technology you'll always have all the new features, bug fixes and software updates seamlessly delivered to all your Clevertouch screens.

Your Clevertouch screen will search for the latest firmware update and install it, giving you instant access to the latest apps and features.

\*Spring 2018







Clevertouch MDM system enables help desks, IT administrators and project leaders to centrally manage and support your network of Clevertouch devices, wherever they are. Reaching well beyond the local network boundaries, our Centralised Management System delivers a bird's-eye view of an entire device fleet, enabling administrators to give the best support possible.

Manage mission critical and complex IT infrastructures, run diagnostics and simplify demanding operation and maintenance work on multiple devices with our new MDM system.

#### Why Mobile Device Management?

- Run diagnostics on all or individual screens
- Control all your Clevertouch devices remotely
- Create groups to make sure each screen has the most suitable apps and files for where it is used, such as C-Suite, Design Studios, Maths Class, Reception Class, corporate boardroom, huddle room, etc.
- Take control of the Clevertouch screen from your desktop
- Install APKs, policies and files
- Push messages directly to the Clevertouch display, ideal for security announcements
- Anti-theft module Lock, unlock and reset displays
- Restart or shut down multiple screens remotely by a single click
- Wipe the screen

Optionally, Clevertouch MDM can serve as the basis for managing other devices in the organisation (Android, Windows, iOS and Chrome OS) from a single console, such as desktops, laptops, tablets and smartphones.







# **CLEVERTOUCH**

# **For Education**

| Product Code                  | <b>55" 4K</b><br>15455LUX                            | <b>65" 4K</b><br>15465LUX   | <b>70" 4K</b> 15470LUX  | <b>75" 4K</b> 15475LUX  | <b>86" 4K</b><br>15486LUX                            | <b>65" 4K</b> 15465V                     | <b>75" 4K</b> 15475V                    |
|-------------------------------|--|---|---|---|--|--|---|
| Display                       |  |   |   |   |  |  |   |
| Touch Points                  | 20   | 20  | 20  | 20  | 20   | 20                                       | 20                                      |
| Screen Type                   | LED  | LED   | LED   | LED   | LED  | LED                                      | LED                                     |
| Aspect Ratio                  | 16:09  | 16:09   | 16:09   | 16:09   | 16:09  | 16:09                                    | 16:09                                   |
| Resolution                    | 4K Ultra HD  | 4K Ultra HD   | 4K Ultra HD   | 4K Ultra HD   | 4K Ultra HD  | 4K Ultra HD                              | 4K Ultra HD                             |
| Brightness (cd/m²)            | 350  | 350   | 350   | 350   | 350  | 350                                      | 350                                     |
| Android                       | /  | 1   | 1   | 1   | 1  | 1  | 1                                       |
| Glass                         | Anti Glare   | Anti Glare  | Anti Glare  | Anti Glare  | Anti Glare   | Anti Glare                               | Anti Glare                              |
| Response Time (Touch)         |  | <15ms   | <15ms   | <15ms   | <15ms  | <15ms                                    | <15ms                                   |
| Contrast Ratio                | 1200:1   | 1200:1  | 1200:1  | 1200:1  | 1200:1   | 1200:1                                   | 1200:1                                  |
| Connectivity                  |  |   |   |   |  |  |   |
| CVBS                          | /  | /   | /   | /   | /  | /  | 1                                       |
|                               |  |   |   |   |  |  |   |
| USB 2.0 / 3.0 / Touch         | 6/1/2  | 6/1/2   | 6/1/2   | 6/1/2   | 6/1/2  | 4/2/2                                    | 4/2/2                                   |
| DisplayPort in                | 1  | 1   | 1   | 1   | 1  | 1  | 1                                       |
| HDMI 1.4 ln / 2.0 ln          | 2/1  | 2/1   | 2/1   | 2/1   | 2/1  | 2/1                                      | 2/1                                     |
| HDMI Out                      | 1  | 1   | 1   | 1   | 1  | 1  | 1                                       |
| PC-Audio                      | V  | ✓   | V   | V   | V  | V  | V                                       |
| R/L (CVBS)                    | With video IP  | With video IP   | With video IP   | With video IP   | With video IP  | With video IP                            | With video IP                           |
| LAN (RJ45)                    | ✓  | ✓ .   | /   | ✓   | ✓ .  | ✓  | 1                                       |
| RS232                         | ✓<br>-   | ✓<br>-  | ✓<br>-  | ✓<br>-  | ✓<br>-   | ✓<br>-                                   | ✓<br>•                                  |
| Module Slots                  | 2  | 2   | 2   | 2   | 2  | 1  | 1                                       |
| Power                         |  |   |   |   |  |  |   |
| Power                         | <250W  | <350W   | <350W   | <450W   | <530W  | TBC                                      | <400W                                   |
| Power (in standby)            | <0.5W  | <0.5W   | <0.5W   | <0.5W   | <0.5W  | <0.5W                                    | <0.5W                                   |
| Physical Specifica            | ations   |   |   |   |  |  |   |
| Dimensions W x H x D (mm / ") | 1318 x 788 x 104 /<br>51 57/64 x 31 1/32             | 1537 x 912 x 99 /<br>60 33/64 x 35 29/32                                    | 1653 x 980 x 108 /<br>65 5/64 x 38 37/64                                    | 1778 x 1031 x 99 /<br>70 x 40 19/32 x 3                                     | 2003 x 1176 x 99 /<br>78 55/64 x 46 19/64            | 1522 x 944 x 98 /<br>59 59/64 x 37 11/64 | 1764 x 1063 x 100<br>69 29/64 x 41 27/3 |
|                               | x 4 3/32   | x 3 57/64   | x 1 1/4   | 57/64   | x 3 57/64  | x 3 55/64                                | x 3 15/16                               |
| Weight                        | 36kg / 79lb 6oz<br>400 x 400 /                       | 45kg / 99lb 3oz<br>600 x 400 /  | 55kg / 121lb 4oz<br>600 x 400 /   | 58kg / 127lb 14oz<br>800 x 400 /  | 75kg / 165lb 6oz<br>800 x 600 /                      | 46kg / 101lb 6oz<br>600 x 400 /          | 58kg / 127lb 14oz<br>800 x 400 /        |
| VESA (mm / ")                 | 15 3/4 x 15 3/4                                      | 23 5/8 x 15 3/4   | 23 5/8 x 15 3/4   | 31 1/2 x 15 3/4   | 31 1/2 x 23 5/8                                      | 23 5/8 x 15 3/4                          | 31 1/2 x 15 3/4                         |
| <b>Android Capabilit</b>      | ties   |   |   |   |  |  |   |
| OTA Update                    | √  | √   | 1   | √   | √  | Х  | х                                       |
| System Version                | Android 6.0<br>Mashmallow                            | Android 6.0<br>Mashmallow   | Android 6.0<br>Mashmallow   | Android 6.0<br>Mashmallow   | Android 6.0<br>Mashmallow                            | Android 5.1 Lollipop                     |   |
| CPU                           | core ARM Cortex<br>A72 & Quad-core<br>ARM Cortex-A53 | Rockchip 3399 Dual-<br>core ARM Cortex<br>A72 & Quad-core<br>ARM Cortex-A53 | Rockchip 3399 Dual-<br>core ARM Cortex<br>A72 & Quad-core<br>ARM Cortex-A53 | Rockchip 3399 Dual-<br>core ARM Cortex<br>A72 & Quad-core<br>ARM Cortex-A53 | core ARM Cortex<br>A72 & Quad-core<br>ARM Cortex-A53 | ARM Rockchip A53<br>up to 1.8GHz         | ARM Rockchip A53<br>up to 1.8GHz        |
| Android Resolution            | 2160p/UHD (LUX UI is 2K)                             | 2160p/UHD (LUX UI is 2K)  | is 2K)  | 2160p/UHD (LUX UI is 2K)  | is 2K)   | 1080p                                    | 1080p                                   |
| GPU                           |  | Mail-T860, OpenGL<br>ES1.1 / 2.0 / 3.0 / 3.1                                |   |   |  | Quad Core                                | Quad Core                               |
| RAM                           | 4GB  | 4GB   | 4GB   | 4GB   | 4GB  | 2G                                       | 2G                                      |
| ROM                           | 12GB   | 12GB  | 12GB  | 12GB  | 12GB   | 8GB                                      | 8GB                                     |
| Wi-Fi Enabled                 | 1  | 1   | 1   | 1   | 1  | 1  | 1                                       |
| Apps and Android              | d Features   |   |   |   |  |  |   |
| Email Out                     | 1  | 1   | 1   | 1   | 1  | 1  | 1                                       |
| LynxPro                       | ×  | ×   | X   | X   | ×  | ×  | ×                                       |
| LynxPro Meeting               | ×  | ×   | X   | ×   | ×  | ×  | ×                                       |
| Montage Lite                  | ×  | X   | X   | ×   | ×  | ×  | ×                                       |
| Note App                      | <i>y</i>   | <b>√</b>  | 1   | <i>y</i>  | <i>'</i>   | <i>y</i>                                 | <i>'</i>                                |
| Lynx App                      | 1  | 1   | ✓<br>✓  | 1   | 1  | ×  | X                                       |
| Cleverstore                   | 1  | 1   | 1   | <i>y</i>  | 1  | ×  | X                                       |
| Clevershare App               | 1  | 1   | ✓<br>✓  | 1   | 1  | ×  | X                                       |
| Eshare                        | ×  | ×   | ×   | ×   | ×  | <i>y</i>                                 | <b>^</b>                                |
|                               | ,  | ,   |   |   |  |  |   |
| Accessories                   |  |   |   |   |  |  |   |
| USB Camera Ability            | <b>√</b>   | <b>√</b>  | ✓<br>-  | ✓<br>-  | ✓<br>-   | <b>√</b>                                 | <b>√</b>                                |
| Writing Stylus                | 3  | 3   | 3   | 3   | 3  | 3  | 3                                       |
| VGA, Audio Cables             | ✓  | ✓   | ✓   | ✓   | ✓  | ✓  | ✓                                       |
| HDMI, USB Cables              | ✓  | ✓   | ✓   | ✓   | ✓  | ✓  | ✓                                       |
| Clevershare                   | Available separately                                 | Available separately  | Available separately  | Available separately  | Available separately                                 | Х  | X                                       |
| Clevercable                   | Х  | Х   | Х   | Х   | Х  | Х  | Х                                       |
| PC Module                     | Optional extra                                       | Optional extra  | Optional extra  | Optional extra  | Optional extra                                       | Optional extra                           | Optional extra                          |
|                               |  |   |   |   |  |  |   |





