Plus Series

Interactive Flat Panel for Education

As the need grows for more collaborative learning spaces, so does the demand for technology in the classroom. Clevertouch is embracing immersive learning by providing smart digital classroom environments. Our complete classroom solution is easy to use, enables simple installation, and is designed for over 50,000 hours of use. With low maintenance and no ongoing subscriptions, Clevertouch provides a complete all in one solution.



The award winning all-in-one solution for an immersive learning experience



Interactive Product of the Year

AV News Awards 2018 - Winner



Digital Devices

BETTAwards 2018 - Finalist





Interactive Product of the Year AV Awards 2017 - Winner

Manufacturer of the Year AV Awards 2015 - Winner



Subscription free software to increase student engagement

Our range of software is designed to engage students and simplify the lesson planning process. Share resources with other teachers and make the most of pre-made lesson and activity templates. Both Lynx and Snowflake MultiTeach are designed with input from educators, enabling teachers to seamlessly collate media and resources to produce innovative lessons.



Making integration and installation easier

Clevertouch interactive touchscreens are designed to integrate with your current system set up and work with your current software. With remote management tools, increased security and network options, and the most comprehensive warranty on the market, Clevertouch offers long-term savings and increased return on investment.



Apps for connected learning

With content in a variety of languages, for all ages and subjects, and with additional resources available to download for free, Clevertouch makes creating exciting lessons simple for teachers. Cleverstore contains hundreds of apps - all free to download, with no adverts or inappropriate content, All of the apps have been tested by our App team to ensure they meet curriculum requirements.



A natural and fluid writing experience

Our Super Glide Surface technology provides a natural and fluid writing experience, reminiscent of a pen and whiteboard. High precision touch pens are included, to facilitate dual-pen writing with no lag. Erase with your palm. Pinch and pull to zoom. Switch between finger-touch, pen, and dual-pen instantly without needing to alter settings.



Screen mirroring with built-in teacher controls

Clevershare App is free to download and compatible with Android, Windows, iOS and Chrome devices. Up to 50 devices can connect with the Clevertouch screen and share content - images, video, and audio. The presenter has full control over what is shared, and can show up to 4 device screens simultaneously, increasing student collaboration and participation within every lesson.



Send messages, alerts and media to all of your Clevertouch screens remotely

With the new Clever Message App send dynamic digital signage messages to all, individual or groups of your Clevertouch screens. Your IT department or office can create messages using full-screen, easy to populate templates, produce live-video messages from the school principal, instructions during a fire drill, building maintenance information, daily news and general announcements.

Connecting people with technology

Plus Series 2018 v.1

CLEVERTOUCH®



Remote management

Control all your screens from a single device.



Super glide surface

Smooth glass for a fluid writing experience.

Compatible

Compatible with Windows,
Mac OS X, macOS and
Chromebook











High precision touch

Improved stylus recognition and assign colours to multiple pens.



Cloud accounts

Connect instantly to your Google Drive or OneDrive accounts.



Clever Account profile

Access your apps, settings and files from your NFC Key fob.

Clevertouch Features



Fully customisable



Local team with expert knowledge



Comprehensive warranty



20-point touch



Energy efficient



No software subscription fees



4K resolution display



Smart personalised profile



Remote management



OTA (Over the air) updates



Integrated speakers



Powered by Android



LUX user interface



No shadow



Anti-glare glass



HDMI, VGA, RS232 and USB connectivity



High precision touch



Super glide surface

Clever Message



24/7 digital signage


Turn your Clevertouch into an interactive digital signage kiosk.

Branded power-up screen

Get your organisation's daily news when you power-up each day.

Live video streaming

Broadcast live or prerecorded audio and video to your screens.



Instant messaging

Send instant or timed messages to any of your Clevertouch screens remotely.

Alerts

Send important announcements at the touch of a button.

Group your screens

Send messages to groups of Clevertouch displays simultaneously.

Clever Message Features



Remote Management (MDM)

Control multiple Clevertouch devices, wherever they are

The Clevertouch MDM system enables help desks, IT administrators and project leaders to centrally manage and support hundreds of Clevertouch devices, wherever they are. Reaching well beyond the local network boundaries, our Centralised Management System delivers a bird's-eye view of an entire device fleet, enabling administrators to give the best support possible with optimal conditions for decision-making.

Extend your support umbrella, control capabilities and manage Clevertouch screens wherever they are located and operating, both inside and beyond the organisation's network. Manage mission critical and complex IT infrastructures and simplify demanding operation and maintenance work on multiple devices.

Control hundreds of Clevertouch devices remotely

- Create groups to make sure each screen has the most suitable apps and files for where it is used, such as C-Suite, Design Studios, Maths Class, Reception Class, corporate boardroom, huddle room, etc.
- Take control of the Clevertouch screen from your desktop
- Install APKs, policies and files
- Push messages directly to the Clevertouch display, ideal for security announcements
- Anti-theft module Lock, unlock and reset displays
- Restart or shutdown multiple screen/s remotely by a single click
- Wipe the screen
- · Run diagnostics

Optionally, Clevertouch MDM can serve as the basis for managing other devices in the organisation (Android, Windows, iOS and Chrome OS) from a single console, such as desktops, laptops, tablets and smartphones.

Instant Updates (OTA)

Updates delivered instantly

The new Over-the-Air technology means that new features, bug fixes, software and hardware updates can be seamlessly delivered to every Clevertouch screen.

With just the click of a button the Clevertouch screen will search for the latest firmware update and install it, giving you instant access to the latest apps and features.

Patch fixes no longer have to be downloaded onto a USB and uploaded manually, giving IT Managers more time and less hassle.



Clevershare Wireless Device

Wirelessly transmits Video, Audio and Touch

With the Clevershare wireless device you can control your Clevertouch from anywhere in the room, without the need for any wires. Simply plug the Clevershare into your laptop's USB port and you can show and edit your laptop's content on your Clevertouch screen. You can instantly display your desktop and control from your computer or Clevertouch – your pen or finger becomes your mouse.

Product Features

- Simple operation, one button projection
- · Up to eight computers can be connected at the same time
- The USB data interface applies to all computers
- Windows and Mac OS compatible
- · Low power consumption, no additional power supply
- Exclusive to Plus Series and Pro Series

Security Features

- Clevershare uses a "private" SSID that is only accessible between the receiver (Clevertouch IFP) and transmitter (dongle), this connection is setup when the dongle is paired with the Clevertouch
- The SSID uses the WPA2 encryption (based on 128bit AES) on the transport layer, but no data encryption on the application layer
- Since the video transfer is not on a public network, no other clients are allowed to join in
- The video transfer should be regarded as secure



Interface	
USB 2.0	1
Function	
Operating Systems supported	Windows 7/8/8.1/10; OSX 10.9/10.10/10.11
Frame Rate	15–20fps Windows 7/8/10 1366x768 @ 15–20fps Windows 7/8/10 1920x1080 @ 15–20fps Mac-Bit rate (600KB) @ 25fps Mac-Bit rate (300KB) @ 20fps
Power	
Power Consumption	2.5W
Transmitter Power	16mW
Physical Specifications	
Dimensions L x H x W (mm / ")	77 x 178.7 x 21.3 / 7 23/64 x 1 7/64 x 0 15/16
Dimensions (Package) L x H x W (mm / ")	210 x 44 x 111 / 8 17/64 x 4 3/8 x 1 47/64
Net Weight	86g
Gross Weight	195g

Clevertouch PC Modules






	i5 PC Module	i7 PC Module
Product Code	1541041	1541042
PC		
Туре	PC Module	PC Module
Model	MT21	MT21
CPU	Intel® Core™ i5	Intel® Core™ i7
RAM	DDR4 4Gb	DDR4 8Gb
SSD	128Gb	256Gb
Graphics	Integrated Intel® HD Graphics/Independent Graphics	Integrated Intel® HD Graphics/Independent Graphics
Chipset	Intel H110 Express	Intel H110 Express
Sound Card	Integrated High Definition Audio Stereo	Integrated High Definition Audio Stereo
Networking	Integrated 10/100/1000M Adaption	Integrated 10/100/1000M Adaption
WIFI	802.11ac (2.4GHz/5GHz)	802.11ac (2.4GHz/5GHz)
Operation System	Windows 10 Pro installed	Windows 10 Pro installed
USB3.0	6	6
LAN(RJ45)	1	1
VGA Output	1	1
Earphone Output	1	1
Microphone Input	1	1
Display Port	1	1
HDMI Output	1	1
Power		
Power Supply Mode	Internal Power Supply Module	Internal Power Supply Module
Power Requirements	100-240V~ 50/60Hz	100-240V~ 50/60Hz
Max Power	95W	95W
Standby Power	1.35W	1.35W
Physical Specs		
Cover Material	SECC	SECC
Dimension L x W x H	246.2 x 265.4 x 32.2mm	246.2 x 265.4 x 32.2mm
Net Weight	1.9kg	1.9kg
Environmental Condition	ons	
Operation Temperature	0°C - 45°C	0°C - 45°C
Operation Humidity	10% – 90%	10% – 90%
Storage Temperature	-20°C - 60°C	-20°C - 60°C
Storage Humidity	10% – 90%	10% – 90%
ESD		
Contact Discharge	±4KV passed level A test(CB)/ ±6KV passed level B test(CB)	±4KV passed level A test(CB)/ ±6KV passed level B test(CB)
Non-contact Discharge	10% ±8KV passed level A test(CB)/ ±12KV passed level B test(CB)	10% ±8KV passed level A test(CB)/ ±12KV passed level B test(CB)


CLEVERTOUCH®

	55"	65"	75"	86"
Product Code	15455LUXHP	15465LUXHP	15475LUXHP	15486LUXHP
Display				
creen Type	LED	LED	LED	LED
Aspect Ratio	16:09	16:09	16:09	16:09
Resolution	4K Ultra HD	4K Ultra HD	4K Ultra HD	4K Ultra HD
Backlight	D-LED	D-LED	D-LED	D-LED
Brightness (cd/m²)	350	350	350	350
esponse Time	8ms	8ms	8ms	8ms
udio	2 x 12W	2 x 12W	2 x 12W	2 x 12W
ndroid	✓	✓	✓	✓
ilass	Anti Glare	Anti Glare	Anti Glare	Anti Glare
uper Glide Surface	✓	✓	✓	✓
ontrast Ratio	1200:1	1200:1	1200:1	1200:1
nteractive System				
ouch Points	20	20	20	20
ensor Type	High Precision IR	High Precision IR	High Precision IR	High Precision IR
* '		3		
finimum Object Size (mm)	3		3	3
esponse Time (Touch)	< 15ms	< 15ms	< 15ms	< 15ms
onnectivity				
SB 2.0 / 3.0 / Touch	4/2/1	4/2/1	4/2/1	4/2/1
DMI 1.4 In / 2.0 in	0/2	0 / 2	0 / 2	0 / 2
isplayPort in	0	0	0	0
GA Input	1	1	1	1
DMI Out	1	1	1	1
VBS (requires a 3.5mm to 3 x				
hono socket, not included)	✓	✓	✓	✓
C-Audio	✓	1	1	✓
GA Output	X	X	Х	X
	<i>^</i>		<i>^</i>	<i></i>
AN (RJ45)				
S232	✓	✓	✓	✓
ndroid Module Slot	✓	✓	✓	✓
C Module Slot	✓	✓	✓	✓
ower				
ower	250W	300W	450W	500W
ower (in standby)	<0.5W	<0.5W	<0.5W	<0.5W
U Energy Rating – Efficiency Class	В	A+	С	В
hysical Specifications		74.		
	1318 x 789 x 103 /	1537 x 913 x 99 /	1779 x 1032 x 100 /	2004 x 1176 x 99.6 /
imensions W x H x D (mm / ")	51 57/64 x 31 1/16 x 4 1/16	60 33/64 x 35 15/16 x 3 57/64	70 3/64 x 40 5/8 x 3 15/16	78.9 57/64 x 46 19/64 x 3 59/64
/eight	36.5kg / 80lb 7.4oz	49kg / 108lb	57.8kg / 127lb 6.8oz	73.7kg / 162lb 8oz
Ŭ.	400 x 400 /	600 x 400 /	800 x 400 /	800 x 600 /
ESA (mm / ")	15 3/4 x 15 3/4	23 5/8 x 15 3/4	31 1/2 x 15 3/4	31 1/2 x 23 5/8
ndroid Capabilities			5 Year	5 Year
ndroid Capabilities emote Management (MDM)	5 Year	5 Year	5 1 001	
emote Management (MDM)	5 Year ✓	5 Year ✓	✓ · · · · · · · · · · · · · · · · · · ·	✓
emote Management (MDM) astant Updates (OTA)	/	✓		✓
emote Management (MDM) nstant Updates (OTA) ystem Version	LUX 7 (powered by Android 7.1 N	✓ Nougat)		1
emote Management (MDM) Istant Updates (OTA) Iystem Version PU	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A	✓ Nougat) 72 and Quad-core ARM Cortex-A53	/	
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p	✓ Nougat) .72 and Quad-core ARM Cortex-A53 1080p	√ 1080p	1080p
emote Management (MDM) stant Updates (OTA) /stem Version PU ndroid Resolution PU	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860	✓ Nougat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860	√ 1080p Mali-T860	1080p Mali-T860
emote Management (MDM) stant Updates (OTA) /stem Version PU ndroid Resolution PU	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860	✓ Nougat) .72 and Quad-core ARM Cortex-A53 1080p	√ 1080p	1080p Mali-T860 4G
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860	✓ Nougat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860	√ 1080p Mali-T860	1080p Mali-T860
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860	V Nougat) .72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G	√ 1080p Mali-T860 4G	1080p Mali-T860 4G
emote Management (MDM) stant Updates (OTA) //stem Version PU ndroid Resolution PU AM DM /i-Fi Enabled	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	V Nougat) .72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB	√ 1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) istant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	√ 1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB ✓
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	√ 1080p Mali-T860 4G 16GB ✓	1080p Mali-T860 4G 16GB ✓
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App mail Out	LUX 7 (powered by Android 7.1 n RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB ✓
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App mail Out	LUX 7 (powered by Android 7.1 n RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB ✓
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App mail Out leverstore //xx App	LUX 7 (powered by Android 7.1 n RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB ✓	1080p Mali-T860 4G 16GB ✓ ✓ ✓
emote Management (MDM) instant Updates (OTA) ystem Version PU indroid Resolution PU AM OM /i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore ynx App ynx Pro	LUX 7 (powered by Android 7.1 n RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB ✓
emote Management (MDM) instant Updates (OTA) ystem Version PU indroid Resolution PU AM OM /i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore ymx App //nx Pro lever Message – 24/7 Dynamic	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V X	1080p Mali-T860 4G 16GB ✓ ✓ ✓ ✓ ✓	1080p Mali-T860 4G 16GB ✓ ✓ ✓ ✓ ✓
emote Management (MDM) instant Updates (OTA) ystem Version PU indroid Resolution PU AM OM /i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore //nx App //nx Pro lever Message – 24/7 Dynamic lessaging Service NEW	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB V	V Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM fi-Fi Enabled pps and Android Features thiteboard App mail Out leverstore ynx App ynx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB V V V X V V V V V V V V V V V V V V V	V Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App mail Out leverstore ynx App ynx App ynx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB V	V Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU ndroid Resolution PU AM DM i-Fi Enabled pps and Android Features hiteboard App mail Out everstore strict App strict A	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB V V V X V V V V V V V V V V V V V V V	V Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU ndroid Resolution PU AM DM i-Fi Enabled pps and Android Features hiteboard App mail Out everstore ymx App ymx Pro ever Message – 24/7 Dynamic essaging Service NEW ual pen mode NEW evershare 2 App NEW oftware	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB V V V X V V V V V V V V V V V V V V V	V Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU indroid Resolution PU AM DM ii-Fi Enabled pps and Android Features thiteboard App mail Out everstore strict App stric	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V V V V V V V V V V V V V V	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU indroid Resolution PU AM DM ii-Fi Enabled pps and Android Features thiteboard App mail Out everstore strict App stric	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) instant Updates (OTA) ystem Version PU indroid Resolution PU AM OM /i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore ynx App ynx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW oftware ynx nowflake isplayNote	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) instant Updates (OTA) ystem Version PU indroid Resolution PU AM OM /i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore ynx App ynx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW oftware ynx nowflake isplayNote lontage	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V X V X V X X X	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App mail Out leverstore ynx App ynx Pro lessaging Service NEW ual pen mode NEW levershare 2 App NEW oftware /nx nowflake isplayNote lontage /nxPro Meeting	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V X V X X X X	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM /i-Fi Enabled pps and Android Features /hiteboard App mail Out leverstore //nx App //nx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW oftware //nx nowflake isplayNote lontage //nxPro Meeting cage	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V X V X V X X X	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU indroid Resolution PU AM DM si-Fi Enabled pps and Android Features shiteboard App mail Out everstore strax App strax App stray	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V X V X X X X	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM (i-Fi Enabled pps and Android Features (hiteboard App mail Out leverstore //nx App //nx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW offtware //nx nowflake isplayNote lontage //nxPro Meeting cage ccessories	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V X V X X X X	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) ystem Version PU ndroid Resolution PU AM OM (i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore //nx App //nx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW offtware //nx nowflake isplayNote lontage //nxPro Meeting cage ccessories PC Module included (1541041)	LUX 7 (powered by Android 7.1 n RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB / / / / / / / / / / / / /	Volugat) 72 and Quad-core ARM Cortex-A53 1080p Mali-T860 4G 16GB V V V V V V X V X X X X X	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) astant Updates (OTA) system Version PU ndroid Resolution PU AM OM (i-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore ynx App ynx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW oftware ynx nowflake isplayNote lontage ynxPro Meeting tage ccessories PC Module included (1541041) SB Camera Ability	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU ndroid Resolution PU AM OM Gi-Fi Enabled pps and Android Features striteboard App mail Out leverstore strice Message – 24/7 Dynamic leversdare NEW ual pen mode NEW levershare 2 App NEW oftware strice Message sisplayNote lontage synxPro Meeting sage ccessories PC Module included (1541041) SB Camera Ability striting Pen or Stylus	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU ndroid Resolution PU AM OM Gi-Fi Enabled pps and Android Features striteboard App mail Out leverstore strick App stri	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) astant Updates (OTA) system Version PU ndroid Resolution PU AM OM di-Fi Enabled pps and Android Features //hiteboard App mail Out leverstore ynx App ynx Pro lever Message – 24/7 Dynamic lessaging Service NEW ual pen mode NEW levershare 2 App NEW offtware ynx nowflake isplayNote lontage ynxPro Meeting tage ccessories PC Module included (1541041)	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB
emote Management (MDM) stant Updates (OTA) stem Version PU ndroid Resolution PU AM OM Gi-Fi Enabled pps and Android Features striteboard App mail Out leverstore strick App stri	LUX 7 (powered by Android 7.1 N RK3399 Dual-core ARM Cortex A 1080p Mali-T860 4G 16GB	✓ Nougat) .72 and Quad-core ARM Cortex-A53	1080p Mali-T860 4G 16GB	1080p Mali-T860 4G 16GB


55"



65"



75"



86"

